

標題

欧州連合加盟国に寄港する船舶における燃料油のサンプリングについて

ClassNK

テクニカル インフォメーション

No. TEC-1047

発行日 2015年9月15日

各位

COMMISSION IMPLEMENTING DECISION (EU) 2015/253 により、本船上で使用する燃料油の硫黄分濃度の確認のため、欧州連合加盟国が寄港国の検査時に実施する検査の方法やその頻度について定めたとの情報を入手しましたので、その概要につきお知らせいたします。

1年間に加盟国に寄港する船舶のうち、少なくとも10%の船舶について、当該加盟国が航海日誌及び燃料油供給簿を検査することとなっております。さらに、2016年1月1日以降、上述の検査を受ける船舶のうち、少なくとも以下に掲げる割合で、本船上に保管されている燃料サンプル、船上でのスポットサンプリングにより採取されたサンプルのどちらか又は両方の分析が行われます。

1. 排出規制海域*のみに面している加盟国に寄港する船舶: 40%
2. 排出規制海域*に部分的に面している加盟国に寄港する船舶: 30%
3. 排出規制海域*に面していない加盟国に寄港する船舶: 20% (2020年1月1日以降は30%)

* 排出規制海域: MARPOL 附属書 VI 第 14 規則 3.1 にて規定されるバルト海海域及び北海海域

船上でのスポットサンプリングは、旗国政府又は弊会の承認を受けた燃料油系統図に図示されるサンプリングバルブから行われます。サンプリング位置が特定されていない場合、次に掲げる全ての条件を満たす位置に設置されているバルブから行われます。

1. 容易にまた安全に近づきやすいこと
2. 異なる品質の燃料油の使用が考慮されていること
3. 燃料油サービスタンク下流側であること
4. 可能な限り機器入口に近く、且つ、燃料油の種類、流量、温度及びサンプリングポイント下流側の圧力が考慮されていること
5. 本船上の責任者によって提案され、サンプリングを行う検査官(サルファーインスペクター)によって認められていること

(次頁に続く)

NOTES:

- ClassNK テクニカル・インフォメーションは、あくまで最新情報の提供のみを目的として発行しています。
- ClassNK 及びその役員、職員、代理もしくは委託事業者のいずれも、掲載情報の正確性及びその情報の利用あるいは依存により発生する、いかなる損失及び費用についても責任は負いかねます。
- バックナンバーは ClassNK インターネット・ホームページ(URL: www.classnk.or.jp)においてご覧いただけます。

サンプリングバルブ設置のために改造が実施される場合、図面承認及び検査を受ける必要があります。

1. 図面承認

改造に先立ち、改造の内容を示した燃料油管線図を弊社機関部宛にご提出下さい。

2. 検査

改造の内容に従い、次のような検査が要求されますので、弊社支部又は事務所に臨時検査をお申込み下さい。

(1) 改造箇所の確認

(2) 燃料油管装置の水圧試験、漏洩試験

当該規制の詳細に関しましては、添付の COMMISSION IMPLEMENTING DECISION(EU) 2015/253 をご参照ください。

なお、本件に関してご不明な点は、以下の部署にお問い合わせください。

一般財団法人 日本海事協会 (ClassNK)

本部 管理センター別館 機関部

住所: 東京都千代田区紀尾井町 3-3(郵便番号 102-0094)

Tel.: 03-5226-2022 / 2023

Fax: 03-5226-2024

E-mail: mcd@classnk.or.jp

添付:

1. COMMISSION IMPLEMENTING DECISION (EU) 2015/253

COMMISSION IMPLEMENTING DECISION (EU) 2015/253

of 16 February 2015

**laying down the rules concerning the sampling and reporting under Council Directive 1999/32/EC
as regards the sulphur content of marine fuels**

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Council Directive 1999/32/EC of 26 April 1999 relating to a reduction in the sulphur content of certain liquid fuels and amending Directive 93/12/EEC ⁽¹⁾, and in particular Articles 6(1b) and 7(1a) thereof,

Whereas:

- (1) A cost-efficient and coherent implementation and enforcement of Directive 1999/32/EC is of high priority to achieve its projected health and environmental benefits resulting from reduced sulphur dioxide emissions from shipping, thus promoting fair competition and increased sustainability of maritime transport.
- (2) In order to implement Articles 3a, 4a and 4b of Directive 1999/32/EC effectively, it is necessary that Member States ensure sufficiently frequent and accurate sampling of marine fuels delivered to ships or used on board ships, including inspections of ships' log books and bunker delivery notes.
- (3) Article 6(1) of Directive 1999/32/EC requires Member States to take all necessary measures to check by sampling the sulphur content of the marine fuel being used for on-board combustion while in relevant sea areas and ports. In this context, sampling should be broadly construed as covering all the methods of compliance verification set out in Article 6(1a)(a), (b) and (c) of that Directive.
- (4) Physical sampling of marine fuel being used for the purpose of verifying compliance should be carried out either through obtaining and analysing a fuel spot sample from the ship's fuel service system, or by analysing the relevant sealed bunker samples on board.
- (5) The frequency of sampling should be determined on the basis of the number of individual ships calling in a Member State, the verification of ship documentation, the use of alternative targeting technologies to ensure a fair share of burden among Member States and cost-effectiveness as well as specific alerts about individual ships.
- (6) The sampling of marine fuels while being delivered to ships should be targeted on marine fuel suppliers which have been repeatedly found not to comply with the specification stated on the bunker delivery note, taking into account the volume of marine fuels marketed by the supplier.
- (7) In order to implement Directive 1999/32/EC in a cost-effective manner, Member States should be encouraged to comply with the sampling frequency by selecting ships for fuel compliance verification on the basis of national risk-based targeting mechanisms or the use of innovative compliance verification technologies, and to share the collected information with other Member States.
- (8) A dedicated Union information system, developed and operated by the European Maritime Safety Agency, available to Member States from 1 January 2015, is to serve as a platform to record and exchange information on the results of individual compliance verifications under Directive 1999/32/EC. Member States should be encouraged to use the system, that can significantly contribute towards rationalising and optimising the assessment of the compliance with the requirements of that Directive.
- (9) In order not to impose a disproportionate administrative burden on Member States without a coast line, on ships flying their flag or on their marine fuel suppliers, certain provisions should not apply to those Member States.
- (10) Reporting should take into account the best use of all available and state-of-the-art technologies so that the administrative burden is kept to a minimum, while leaving flexibility to those Member States which might prefer to report in a more traditional way. Therefore, Member States have the possibility to use the Union information system to fulfil the relevant annual reporting obligations under Directive 1999/32/EC.

⁽¹⁾ OJ L 121, 11.5.1999, p. 13.

- (11) Not earlier than 1 January 2016, and subject to the availability of common shared data regarding sulphur compliance verifications and sampling, Member States may use the risk-based targeting mechanism integrated into the Union information system to prioritise ship fuel verification in a cost-effective manner.
- (12) The measures provided for in this Decision are in accordance with the opinion of the Committee established in accordance with Article 9(1) of Directive 1999/32/EC,

HAS ADOPTED THIS DECISION:

Article 1

Subject matter

This Decision lays down the rules concerning sampling methods and frequency as well as reporting under Directive 1999/32/EC as regards the sulphur content of marine fuels.

Article 2

Definitions

For the purposes of this Decision, the following definitions shall apply:

- (1) 'Service tank' means a tank from where fuel is taken to feed the downstream fuel-oil combustion machinery;
- (2) 'Fuel service system' means the system supporting the distribution, filtration, purification and supply of fuel from the service tanks to the fuel-oil combustion machinery;
- (3) 'Ship's representative' means the ship's master or officer in charge who is responsible for the marine fuels being used, documentation and for agreeing on the alternative fuel sampling point location;
- (4) 'Sulphur inspector' means a person duly authorised by the competent authority of a Member State to verify compliance with the provisions of Directive 1999/32/EC;
- (5) 'Union information system' means a system using the port call data of individual ships within SafeSeaNet, the information management system established by Article 22a of Directive 2002/59/EC of the European Parliament and of the Council ⁽¹⁾ ('SafeSeaNet'), to record and exchange information on the results of individual compliance verifications under Directive 1999/32/EC, and operated by the European Maritime Safety Agency. A Union risk-based targeting mechanism is developed on the basis of those results of individual compliance verifications and associated findings under Directive 1999/32/EC.

Article 3

Frequency of sampling of marine fuels being used on board ships

1. Member States shall carry out inspections of ships' log books and bunker delivery notes on board of at least 10 % of the total number of individual ships calling in the relevant Member State per year.

The total number of individual ships calling in a Member State shall correspond to the average number of ships of the three preceding years as reported through SafeSeaNet.

⁽¹⁾ Directive 2002/59/EC of the European Parliament and of the Council of 27 June 2002 establishing a Community vessel traffic monitoring and information system and repealing Council Directive 93/75/EEC (OJ L 208, 5.8.2002, p. 10).

2. As from 1 January 2016, the sulphur content of the marine fuel being used on board shall also be checked by sampling or analysis or both of at least the following percentage of the inspected ships referred to in paragraph 1:

- (a) 40 % in Member States fully bordering SOx Emission Control Areas (SECAs);
- (b) 30 % in Member States partly bordering SECAs;
- (c) 20 % in Member States not bordering SECAs.

As from 1 January 2020, in Member States not bordering SECAs, the sulphur content of the marine fuel being used on board shall also be checked by sampling or analysis or both of 30 % of the inspected ships referred to in paragraph 1.

Member States may comply with the frequencies specified in this paragraph by selecting ships on the basis of national risk-based targeting mechanisms and of specific alerts on individual ships reported in the Union information system.

3. The number of individual ships calculated pursuant to paragraph 2 that shall also be checked by sampling or analysis or both can be adjusted, but not reduced by more than 50 %, either:

- (a) by subtracting the number of individual ships for which possible non-compliance is verified using remote sensing technologies or quick scan analysing methods; or
- (b) by setting an appropriate number where document verifications in accordance with paragraph 1 are carried out on board of at least 40 % of the individual ships calling in the relevant Member State per year.

The adjustment referred to in points (a) and (b) shall be reported in the Union information system.

4. As from 1 January 2016, instead of complying with the annual frequency laid down in paragraphs 1, 2 and 3, a Member State may apply an annual frequency of sampling on the basis of the Union risk-based targeting mechanism.

5. This Article shall not apply to the Czech Republic, Luxembourg, Hungary, Austria and Slovakia.

Article 4

Frequency of sampling of marine fuels while being delivered to ships

1. In accordance with Article 6(1a)(b) of Directive 1999/32/EC and taking into account the volume of marine fuels delivered, Member States shall carry out sampling and analysis of marine fuels while being delivered to ships by those marine fuel suppliers registered in that Member State that have been found at least three times in any given year to deliver fuel that does not comply with the specification stated on the bunker delivery note on the basis of the reporting in the Union information system or in the annual report referred to in Article 7.

2. This Article shall not apply to the Czech Republic, Luxembourg, Hungary, Austria and Slovakia.

Article 5

Sampling methods for the verification of the sulphur content of the marine fuel being used on board

1. In accordance with Article 3, where the sulphur content of marine fuels being used on board is verified, Member States shall apply the following staged approach to sampling and compliance verification of sulphur standards:

- (a) inspection of ships' log books and bunker delivery notes;
- (b) as appropriate, one or both of the following means of sampling and analysis:
 - (i) analysis of the sealed bunker samples on board ships accompanying the bunker delivery note which have been taken in accordance with Regulation 18(8.1) and (8.2) of Annex VI to MARPOL;

- (ii) on-board spot sampling of the marine fuels for on-board combustion in accordance with Article 6 followed by analysis.
2. At the end of the sulphur content verification and analysis, the sulphur inspector shall record the details of the fuel-specific inspection and findings in line with the requested type of information referred to in Article 7(a).

Article 6

On-board spot sampling

1. Member States shall take the on-board spot sample of marine fuel through a single or multiple spot sample at the location where a valve is fitted for the purpose of drawing a sample in the fuel service system, as indicated on the ship's fuel piping systems or arrangement plan and as approved by the Flag Administration or Recognised Organisation acting on its behalf.
2. In the absence of the location referred to in paragraph 1, the fuel sampling point shall be the location where a valve is fitted for the purpose of drawing a sample and shall fulfil all of the following conditions:
- (a) be easily and safely accessible;
 - (b) take into account different fuel grades being used for the fuel-oil combustion machinery item;
 - (c) be downstream of the fuel in use from the service tank;
 - (d) be as close to the fuel inlet of the fuel-oil combustion machinery item as feasible and safely possible taking into account the type of fuels, flow-rate, temperature, and pressure behind the selected sampling point;
 - (e) be proposed by the ship's representative and accepted by the sulphur inspector.
3. Member States may take a spot sample at more than one location in the fuel service system to determine whether there is a possible fuel cross-contamination in the absence of fully segregated fuel service systems, or in case of multiple service tank arrangements.
4. Member States shall ensure that the spot sample is collected in a sampling container from which at least three sample bottles can be filled which are representative of the marine fuel being used.
5. Member States shall take measures to ensure the following:
- (a) that the sample bottles are sealed by the sulphur inspector with a unique means of identification installed in the presence of the ship's representative;
 - (b) that two sample bottles are taken ashore for analysis;
 - (c) that one sample bottle is retained by the ship's representative for a period of not less than 12 months from the date of collection.

Article 7

Information to be included in the annual report

The annual report to be submitted by the Member States to the Commission on the compliance with sulphur standards for marine fuels shall include at least the following information:

- (a) the total annual number and type of non-compliance of measured sulphur content in examined fuel, including the extent of individual sulphur content non-conformity and the average sulphur content determined following sampling and analysis;
- (b) the total annual number of document verifications, including bunker delivery notes, location of fuel bunkering, oil record books, log books, fuel change-over procedures, and records;

- (c) claims of non-availability of marine fuels as referred to in Article 4a(5b) of Directive 1999/32/EC, including the ship details, bunkering port and Member States where the non-availability occurred, number of claims made by the same ship, and type of bunker unavailable;
- (d) notifications and letters of protest with respect to the sulphur content of fuels against marine fuel suppliers in their territory;
- (e) a list containing the name and address of all marine fuel suppliers in the relevant Member State;
- (f) the description of the use of alternative emission abatement methods, including trials and continuous emission monitoring, or alternative fuels and compliance checks of continuous achievement of SO_x reduction in accordance with Annexes I and II to Directive 1999/32/EC of the ships flying the flag of the Member State;
- (g) where applicable, description of national risk-based targeting mechanisms, including specific alerts, and the use and outcome of remote sensing and other available technologies for prioritising individual ships for compliance verification;
- (h) total number and type of infringement procedures initiated or penalties or both, the amount of fines imposed by the competent authority to both ship operators and marine fuel suppliers;
- (i) for each individual ship, following the inspection of its log books and bunker delivery notes or sampling or both:
 - (i) ship particulars, including IMO number, type, age of ship and tonnage;
 - (ii) reports on sampling and analysis, including the number and type of samples, the sampling methods used, and sampling locations, for compliance verification of the ship type;
 - (iii) relevant information on bunker delivery notes, location of fuel bunkering, oil record books, log books, fuel change-over procedures, and records;
 - (iv) enforcement action and legal procedures initiated at the national level or penalties or both against that individual ship.

Article 8

Format of the report

1. Member States may use the Union information system to record directly after the verification all relevant fuel-specific inspection details and findings, including sampling related information, into the system.
2. A Member State using the Union information system to record, exchange and share data on the compliance verification may use the annual aggregated compilation of enforcement efforts provided by the Union information system to fulfil their reporting obligations laid down in Article 7 of Directive 1999/32/EC.
3. Member States not using the Union information system shall either facilitate a connection between the Union information system and their national system that can at least record, where applicable, the same fields as those in the Union information system, or report electronically on all items referred to in Article 7.

Article 9

Entry into force

This Decision shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

Done at Brussels, 16 February 2015.

For the Commission
The President
Jean-Claude JUNCKER